

OP

m



CONTENT

02

INTRO Special features, icons & VPA certification. 19

CHALK LINE SET Plastic, zink and chalk line set.

04

BOX LEVELS Standard & magnetic box levels.



LASERS Cross line lasers.

12

CAST LEVELS

Aluminium cast levels.

24

LASER ACCESSORIES

Glasses, magnetic mounts and tripods.



TOOLBOX LEVELS

Small and compact levels perfectly fit to your pocket or toolbox.

SPECIAL FEATURES

NOISI



Creates highly visible red bubble edges, for exact placement between the reading lines and optimal vision in bright and low light.

- Tilted angle of the vial for a direct line of sight
- High contrast ratio between the bubble and vial liquid for faster leveling and more precise results
- UV resistant, no chemical additives that fade overtime, the vial will always maintain its original color contrast and visibility
- Reading lines painted inside the vial for guaranteed precision
- Increase vial visibility by up to 8 times





Plumb Site® Dual-View™ technology allows you to read the vial from the front and helps prevent neck and back strain

 A unique front view of the vertical vial through a one-to-one reflection of the vial











Plumb Site[®]Dual-View[™] Vial Unique front view of the vertical vial



Magnified Vial Better readability



Reversibility Up to 0.5mm/m in all positions

Shockproof Vials

Superior longevity



UV Resistant Strong resistance to the fading effects of sunlight

Shockproof End Caps

Protects the level's inte-

grity and accuracy




Precision Solid acrylic vials are individually calibrated



Angle Finder Transfer angle measurements



Magnetic Powerful magnetic





Gradient lines up to 2% More precise



Lifetime Vial Warranty Solid acrylic vials are guaranteed not to fog, leak or break

CERTIFICE D 604 www.WA.28rt do Www.VA.28rt do Wwww.VA.28rt do Www.VA.28rt do WWW.

VPA Vial accuracy certified by the German VPA laboratory



The VPA Prüf- und Zertifizierungs GmbH is the leading certification organization that tests, evaluates and can certify the quality and adherence of tools to German laboratory standards and regulations.

The VPA CERTIFIED seal attests to the safety and the quality of the products with comprehensive testing procedures and continuous supervision.

The VPA tests include:

- Level accuracy according to VPA laboratory standard
- Chemical testing of PAHs for plastics and compliance
 with German standars
- Reliability and breakage testing to determine the level's strength
- Safety tests according to German standard parameters
- Full-scope inspections according to all the applicable standards and guidelines
- Regular supervision processes

The tests are based on the following principles:

- EC directives
- EN, ISO, IEC standards
- Rules of technology and safety engineering
- Tested Safety (GS) mark



BOX LEVELS

Box levels are so called because of the shape of the profile's cross section. If cut in half, you would see the aluminum formed in the shape of a rectangle which is generally hollow in the middle. Due to the square construction, it has four points of strength and a higher resistance to torsion. Box shaped levels offer better mechanical properties and a set of technological features that not all shapes of spirit levels can house, such as ergonomic handles, shock proof end caps, solid acrylic vials and wall grips. APRO

Perfect for:

Carpentry • Building • Masonry Roofing • Construction • Iron work





This is the ultimate quality Box Level available when looking at price. This level comes with milled surface for extra accuracy, shock absorbing end caps and a "wall grip" feature helps to prevent the level from slipping while in the conventional hold position. Wall thickness 1.3 mm. External coating: Powder coating.

Perfect for:

- Construction
- Carpentry
- Landscaping

PROFICIATIONS



- 3 solid acrylic vials Shock absorbing rubber end caps
- Accuracy: <0.5mm/m
- Milled surface on lengths up to 120 cm
- Wall grip feature
- Wall thickness: 1.3 mm
- VPA Certified
- Please note: Magnetic option: 104612XX

SPECIFICATIONS							
Length	400 mm	600 mm	800 mm	1000 mm	1200 mm	1800 mm	2000 mm
Standard	10461110	10461120	10461130	10461140	10461150	10461160	10461170
Magnetic	10461210	10461220	10461230	10461240	10461250	10461260	10461270

Please contact us if you need other sizes: Spirit is also available in: 500 mm/1500 mm and in a bundle set item no. 10461180 with 600 mm/1200 mm/2000 mm







GENESIS BOX LEVEL

This level comes with milled surface for extra accuracy, shock absorbing end caps, and a "wall grip" feature helps to prevent the level from slipping while in the conventional hold position. Horizontal vial with gradient lines up to 2%.

Perfect for:

- Carpentry
- Construction
- Masonry



FEATURES

- 3 solid acrylic vials
- Horizontal vial with gradient lines up to 2%
- Plumb Site® Dual-View™ vial
- Shock absorbing rubber end caps
- Wall Grip feature
- VPA Certified
- Milled surface on lengths up to 120 cm
- Accuracy: 0.5 mm/meter
- Please note: Magnetic option: 104614XX

SPECIFICATIONS

Length	400 mm	600 mm	800 mm	1000 mm	1200 mm	1500 mm	1800 mm	2000 mm
Standard	10461310	10461320	10461330	10461340	10461350	10461355	10461360	10461370
Magnetic	10461410	10461420	10461430	10461440	10461450	10461455	10461460	10461470

Please contact us if you need other sizes: GENESIS is also available in: 300 mm/450 mm/500 mm/900 mm









APOLLO BOX LEVEL

The APOLLO Box Level combines the best of 2 worlds – it keeps the conventionally design of a classic Box-beam level while offering all the state of the art features that make your work easier, quicker and more accurate. APOLLO features a horizontal 270° magnified and break proof Solid Acrylic vial and 2 plumb Solid Acrylic vials, all at the highest accuracy of <0.0005 in/in (0.5mm/m), fully reversible.

Perfect for:

- Construction
- Masonry
- Roofing
- Ironwork



FEATURES


- 3 solid acrylic vials
- Shock absorbing rubber end cap
- Plumb Site® Dual-View[™] vial
- 1 magnified horizontal vial
- Accuracy: <0.0005 in/in (0.5mm/m)
- 2 milled surfaces up to 120 cm
- Wall grip feature
- Wall thickness: 2.0 mm
- VPA Certified
- Please note: Magnetic option: 104616XX

SPECIFICATIONS				
Length	600 mm	800 mm	1000 mm	1200 mm
Standard	10461520	10461530	10461540	10461550
Magnetic	10461620	10461630	10461640	10461650

Please contact us if you need other sizes: APOLLO is also available in: 400 mm/900 mm/1500 mm/1800 mm/2000 mm

VULCAN Professional Box Level with 3 solid acrylic vials







VULCAN BOX LEVEL

VULCAN is designed for the utmost durability while offering all the state of the art features that make your work easier, quicker and more accurate. It features the highest accuracy of < 0.0005 in/in (0.5mm/m) fully reversible – so you may flip the level and enjoy this same phenomenal accuracy. Ease of use life time warranty.

Perfect for:

- Carpentry
- Construction
- Masonry
- Roofing



FEATURES

- 3 solid acrylic shockproof vials
- 2 vertical, one with Plumb Site® Dual-View™ vial
- 1 magnified horizontal vial for the clearest view of the bubble
- Shock absorbing rubber end caps
- Reinforced profile to maintain accuracy in tough work conditions
- VPA Certified
- Two finely milled surfaces on lengths up to 120 cm with V-Groove for pipe measurements
- Ergonomic Bi-material handle for a comfortable grip
- Accuracy: 0.5 mm/meter
- Please note: Magnetic option: 104618XX

SPECIFICATIONS Length 600 mm 800 mm 1000 mm 1200 mm 10461720 Standard 10461730 10461740 10461750 Magnetic 10461820 10461830 10461850 _

Please contact us if you need other sizes: VULCAN is also available in: 900 mm/1000 mm/1500 mm/1800 mm/2000 mm

CONDOR Professional Box Level with OPTIVISION® RED





CONDOR BOX LEVEL

The CONDOR level is an extremely durable box level – based on a modern a-symmetric profile that includes a vial bridge for extra strength and dual-component cushioned shockproof End-caps. It offers all the state of the art features that make your work easier, quicker and more accurate. It is based on the revolutionary OPTIVISION™ Red vial technology which increase vial visibility by up to 8 times, compared to conventional vials, at the highest accuracy of <0.0005 in/in (0.5mm/m). All vials are Solid acrylic break proof and come with an accuracy life time warranty.

Perfect for:

- Carpentry
- Building
- Masonry
- Roofing



- OPTIVISION[™] Red horizontal vial creates highly visible red bubble edges, for exact placement between the reading lines and optimal vision in low light
- Tilted, tri-surface horizontal vial: direct line of sight for easy viewing and superior vial protection
- Plumb Site Dual-View vial with Red Effect for a clear
 plumb view
- Reinforced profile with bridge at horizontal vial for increased toughness and marking a straight, unbroken line
- Finely milled surface
- VPA Certified

SPECIFICATION	NS				
Length	600 mm	800 mm	1000 mm	1200 mm	1800 mm
Standard	10462105	10462115	10462125	10462135	10462145

DIGIMANTM

Professional digital and magnetic Level with Dual-View. Laser version ART. 10463310



DIGIMAN™ MAGNETIC DIGITAL LEVEL

This tool incorporates all of KAPRO's best leveling concepts and features. Lifetime warranted solid acrylic block vials for standard leveling projects, highly accurate digital level and a long distance laser pointer housed in our milled magnetic aluminum frame will answer all your measuring needs. If you can only buy one tool this is your best bet you're getting 3 tools in 1 at a great value.

Perfect for:

- Carpentry .
- Construction
- Roofing
- Measuring slopes, stairs and ramp layouts

SPECIFICATIONS

Length	600 mm	1200 mm
Magnetic	10463520	10463540
With laser	10463550	-



- 2 solid shockproof acrylic vials including: 1 Plumb Site® Dual-View[™] and 1 horizontal
- Digital accuracy: <0.1° at level & plumb -• <0.2° at other angles
- 45° Tilted LCD display with backlight •
- 180° readout readable when inverted .
- HOLD & MODE function •
- Degree/percentage/pitch
- Memory recall 9 measurements •
- Buzzer at 0°, 45° and 90° •
- Recalibration function and "False Zero"
- Water & dust resistant •
- 9V battery + battery indicator
- Large silicon buttons •
- 2 finely milled surfaces •
- Rare-earth magnets
- Ergo Grip™ handles •
- Shockproof end caps
- Laser range: 50m (art. 10463550)







DRAINAGE GRADIENT LEVEL UP TO 10%

Great gradient level for concrete work and plumbing.



- 1 horizontal solid shockproof acrylic vial
- Sets measuring slopes up to 10%
- Shock absorbing end caps
- Exact length (40"/100cm) for ease of use and calculation of desired slope
- Accuracy: <0.0005 in/in. (0.5mm/m)

CAST LEVELS

Aluminum die casting is a manufacturing process that produces accurately, defined, smooth and textured-surface metal parts. The biggest advantage of aluminum die cast spirit levels is their strength. Perfect for construction they are available in trapeze or rectangular shape. CP

IN

Carpentry • Building • Masonry Roofing • Construction • Iron work



Cast Aluminium OPTIVISION® Torpedo 25cm ART. 10464225





CAST ALUMINIUM OPTIVISION® TORPEDO

OPTIVISION[™] Red creates the effect of strong color definition around the spirit level's horizontal bubble, in stark contrast to the white vial background and clear liquid. The color contrast makes the bubble edges significantly easier to see, for fast and accurate placement between the vial's reading lines. This cast level provides the professional masonry contractor and tiller the perfect tool for every job.

Perfect for:

- Construction
- Masonry
- Tilling



FEATURES

(D)

- OPTIVISION™ Red horizontal vial creates highly visible red bubble edges for exact reading and optimal vision in bright and low light
- Length: 250 mm
- Tilted horizontal vial with epoxy locking for direct line of sight viewing
- Vial Gradient Lines for measuring slopes up to 2% grade
- 3 unbreakable Acrylic Shockproof Vials
- Accuracy: <0.0005in/in (0.5mm/m)
- Angle Finder with gradient markings every 5° to easily find the degree of any slope
- Rare-earth magnets for the strongest grip to any metal surface
- Fine milled surface with V-groove for accurate and easy placement on pipes and curved surfaces
- Advanced impact resistance end caps to protect the level's integrity
- Proven durability Drop tested from up to 2 meters
- VPA Certified









CAST IRON TORPEDO LEVEL 25 CM

The KAPRO magnetic cast torpedo level features 3 acrylic shock-resistant vials to help provide easy horizontal, vertical and 45° readings with an accuracy of up to 0.0005 in. The plumb site technology allows you to read the vial from the front and helps prevent neck and back strain. The heavy-duty cast-aluminum frame provides durability and the compact size helps you access small spaces.

Perfect for:

- Carpentry
- Construction
- MasonryRoofing



- Length: 250 mm
- Plumb site Dual-View vial solid acrylic vertical vial
- 3 solid acrylic vials (vertical, horizontal and 45°)
- Epoxy-set horizontal vial
- Plumb Site® Dual-View™
- Heavy-duty cast aluminum body
- Milled read surface
- V-groove for pipe/conduit
- Strong Rare-earth magnets
- Accuracy: 0.0005in/in (0.5mm/m)
- VPA Certified











PLASTIC TORPEDO LEVEL 23 CM

With a horizontal, vertical and 45° vial. Magnetic base. V-groove for pipe leveling. Hanging hole.

Perfect for:

- Construction
- Plumbing
- Carpentry
- Landscaping
- DIY



- Length: 230 mm
- Magnetic base
- 3 solid acrylic vials (vertical, horizontal and 45°)
- Double bridge over horizontal vial
- Continuous marking line
- Tough rubber end caps
- Hanging hole
- V-groove for pipe/conduit

TOOLBOX LEVELS

NENT

EX KAPRO

Typically, small and compact enough to fit in your toolbox, your pocket or hang on your belt. These levels are very handy.

Carpentry • Construction • Cabinet installation Plumbing & framing • Interior design • DIY **SMARTY**

10 cm ToolBox Level with OPTIVISION[®] RED ART. 10464010



HANDY 10 cm ToolBox Level with magnet ART. 10464025



P

80 a







SMARTY TOOLBOX LEVEL

SMARTY includes KAPRO's OPTIVISION™ for visibility and includes gradient lines. With a durable cast aluminum body for strength, shock proof rubber which provides for a great grip and protection. Includes Rare-earth magnets when the application requires them. Includes a belt clip housing that allows the SMARTY to be at your side at all times.

Perfect for: Carpentry, construction and cabinet installation.

FEATURES

- OPTIVISION[™] Red horizontal vial in solid acrylic
 creates highly visible RED bubble edges
- Gradient lines for measurements up to 2%
- Durable cast aluminum body with shockproof rubber
- Large base with Rare-earth magnets
- Clip belt housing
- Precision: 0.5mm/m (0.0005 in/in)





HANDY TOOLBOX LEVEL WITH MAGNET

This durable level fits easily in your utility drawer, tool box, glove compartment or camper so it is always within reach. The solid acrylic block vial provides a highly accurate read. This is a perfect tool to help you while you are redecorating or minor household improvements. The magnet is hidden inside the read surface and will provide a secure hold.

Perfect for: Carpentry, construction and landscaping.

- Shockproof solid acrylic vial
- Lightweight aluminum box profile fits easily into your tool belt or pocket
- Shockproof end caps
- Rare-earth magnets hidden inside level
- Accuracy: <0.5mm/m (0.0005 in/in)

CYCLOPS

Pocket Level with plumb-site, V-grooves & magnet ART. 10464040







POSTRITE

ART. 10464055

With 3 vials, magnets and elastic strap





POCKET LEVEL WITH PLUMB-SITE, V-GROOVES AND MAGNET

A compact cast level with Patented Plumb Site vial. The 2 V-groove read surfaces on this tool allows the tool to sit securely on many round surfaces giving you a hand free to adjust the pipes. The powerful Rare-earth magnet inside each V-groove will create a secure hold. The solid cast body will give you a long lasting tool.

Perfect for: Plumbing and framing, general construction, interior design, carpentry and DIY.

FEATURES

- Patented plumb site dual view vial lifetime warranty on vial
- 1 solid acrylic block vial works in both horizontal and vertical positions
- 2 finely milled surfaces with V-grooves
- Rare-earth magnets on each of the 2 milled read surfaces
- Durable cast aluminum body fits it pocket or tool pouch
- Accuracy 0.5 mm/m on horizontal and 0.75 mm
 m on vertical

POSTRITE PLASTIC POST LEVEL

This durable plastic post level will level metal and wood posts and pipes in both plains at 1 time. Eliminates having to move a standard level from side to side. Compact size allows for storage within your tools box.

Perfect for: Leveling posts, pipes and signs, fence building, construction and carpentry.

- 3 easy-to-read vials
- 4 strong magnets adhere to metal surfaces
- Durable and adjustable elastic band for easy mounting when magnets are not needed
- 3 nail holes can be used to temporarily mount to wooden posts

CHALK LINE SET









Ŷ

226 g





PLASTIC

Chalk line set ART. 10465310



FEATURES

- Durable Easygrip[™] case
- All-in-one end hook: holds on nails & ledges, tacks into drywall
- Hook docking point
- Smooth rewind
- Clean chalk refill won't spill
- Wall mount & storage hanger
- Plumb bob design
- 30m line
- 85g capacity
- 113g blue chalk bottle included

ZINK *Chalk line set* ART. 10465320



FEATURES

- Heavy-duty zinc body
- Doubles as a plumb bob
- 30m highly absorbent
 polyester line
- 85g capacity
- 113g blue chalk bottle included



Bottles ART. 10465350 - Blue ART. 10465360 - Red





- Contains 225g (8 oz)
- Blue or red chalk

LASERS

The decision of which laser level to invest in depends on whether you're a professional contractor and will use the laser tool on an on-going basis or if you're doing a one-time job. For home improvement jobs, investing in a simple multi-purpose laser product can be a money saver and make your work more professional. In some situations, such as working in confined spaces and "up close" level and plumb readings, a traditional level may be a better choice. For professional applications, a laser level saves time and money because it allows one person to do layouts and take measurements that used to take at least two people to do and increases the accuracy of the overall work.







PROLASER®

Cross Line Laser green 862G

ART. 10468200







CROSS LINE LASER

Indoor cross-line laser. **Includes:** Soft carry case, batteries and a "Velcro" strip.

Perfect for:

- Tiling
- Laying cabinets
- Hanging curtains
- DIY projects and decorative work



- Vertical, horizontal and cross beams
- Indoor laser range: 20m (65')
- Accuracy: RED: 0.2mm/m (0.0002"/") GREEN: 0.4mm/m (0.0004"/")
- Self-leveling range ±3°
- Manual mode for angular layout/tilted marking
- Visual "out of level" warning
- Tripod ready: 1/4" thread
- V-groove
- Rare-earth magnets
- "Velcro" strip slant
- Hanging hole


PROLASER® IP65 Cross Line Laser VHX red 870 VIP

ART. 10468120









IP65 VHX PROLASER® VIP

The Indoor/Outdoor Shielded Cross Line Laser. Includes: Laser target, universal wall mount (886-23), tripod adaptor for 5/8" thread (841), 3 AA batteries and a soft carry bag.

Perfect for:

- Aligning tiles, cabinets, borders, moldings and trims
- Deck installation and exterior layout
- Door and window installation



SELF-LEVELING

\\[\] **±3**°

UP TO 30m/100

3 AA

UP TO 60m/200'

IP65

Ø

870 g

CE

- Vertical, horizontal and cross beams at 90°
- Indoor laser range 30m (100')
- Outdoor laser range: RED: 50m (165') with detector GREEN: 60m (200') with detector
- Accuracy: 0.2mm/m (0,0002"/")
- Self-leveling range: ±3°
- Manual mode for angular layout/marking
- · Audio and visual "out of level" warning
- Pulse mode
- Water and dust proof (IP65)
- · Protective rubber over molded casing
- 1/4" tripod thread

PROLASER® Cross Line Laser Vector red 873 ART. 10468110







PROLASER®

ART. 10468210

Cross Line Laser Vector green 873G





PROLASER® VECTOR

Includes: Soft pouch and 3AA batteries.

Perfect for:

- Acoustic ceiling and Drywall installations
- Aligning and framing doors and windows
- Leveling of electrical outlets, plumbing and studs
- Hanging cabinets and decks construction
- Leveling slopes, roofs and more



- 3 Laser beams, including: 1 Horizontal and 2 Vertical with a 90° intersection
- Indoor laser range: 30m (100')
- Outdoor laser range: RED: 50m (165') with detector GREEN: 60m (200') with detector
- Accuracy: ±0.2mm/m (0.0002"/")
- Self-leveling range: ±3°
- Manual mode for angular layout/tilted marking
- Visual and audible "out of level" warning
- Strong folding legs for angle mounting
- Shock resistant rubber casing
- Tripod ready: 1/4" thread

BEAMFINDER® Red/ green beamfinder glasses ART. 10468512 - Red // ART. 10468522 - Green LASER TARGET Red/green laser target ART. 10468514 - Red // ART. 10468524 - Green





BEAMFINDER™ GLASSES

Enhances visibility of red or green laser beams. Adjustable and with holes to attach a glasses chain.



RED OR GREEN LASER TARGET

Magnetic red or green laser target with a special reflective surface. With graduated target (in/cm)

- Magnetic
- Special reflective surface
- Graduated target (in/cm)











LASER BEAM DETECTOR

Includes: Soft pouch and 3AA batteries.

Perfect for:

- Acoustic ceiling and Drywall installations
- Aligning and framing doors and windows
- Leveling of electrical outlets, plumbing and studs
- Hanging cabinets and decks construction
- Leveling slopes, roofs and more

FEATURES

- Bright, easy to see indicator lights
- Visible and audible indicator signs
- Automatic shutdown
- Precision: High accuracy ± 1.5mm
 Low accuracy ± 2.5mm
- Low voltage alarm
- · Easy to operate
- Power source: Laminated 9V battery



UNIVERSAL MAGNETIC WALL MOUNT

Universal magnetic wall mount with 2 strong Rare-earth magnets. 2 hanging holes and an opening slip for strip fastening.

- 2 strong Rare-earth magnets
- 2 hanging holes
- Opening slip for strip fastening
- 1/4" top thread
- 1/8" and 1/4" base thread
- Anti-slip padding

LASER ACCESSORIES



TRIPOD For laser level ART. 10468550





With tripod ART. 10468560



FEATURES





- Lightweight tripod with vial
- Up to 1.2 meters

- FEATURES
- Professional Tripod for Laser
 Levels, with scale and vial
- Up to 2.32 meters



FEATURES

- Telescoping pole with locking sections
- Maximum height 3.2 meters (10.5')
- Strong lightweight tripod stand
 with surface level
- Adjustable laser mount with 5/8" UNC thread

26





– your global tool supplier

Diesella A/S | Marsvej 20 | DK-6000 Kolding | Tel. +45 7633 8888 | Fax +45 7633 8899 | info@diesella.dk | diesella.dk